

AA701 Sensor cable 50 m ring PVC 4x0.25 mm²



Order by 2 pm - Shipping on the same working day

25,15 € offline price 26,61 €

Incl. 5.5% online discount for online orders

Overview


- Cut your sensor cables to the desired length yourself
- Simple wiring possible thanks to wirable M8 or M12 connectors
- 0.25 mm² cross section
- suitable for ambient temperatures of -25...70°C
- silicone-free

www.autosen.com/AA701

Direct link to the article on autosen.com

In daily use - proven millions of times over. Products from autosen are under highest quality requirements regarding robustness, insensitivity and reliability. We offer 5 years warranty - with money-back guarantee!

Dimensional drawing



Connection & pin assignment

BN
WH
BK
BU



General information

Range of application	Sensor cable for standard application
Cable length	50 m

Electrical data

Operating voltage	max. 300 V AC/DC
Voltage type	Direct voltage (DC) Alternating voltage (AC)

Mechanical data

Colour of cable sheath	Black
Material of cable sheath	PVC cable

Ambient conditions

Ambient temperature min.	-25°C
Ambient temperature max.	70°C
Ambient temperature (moving)	5 ... 70 °C

Additional information

Electrical connection	PVC cable 4 x 0.25 mm ² (14 x Ø 0.15 mm) Ø 4.5 mm silicone-free
-----------------------	---



Accessories: M12 connector | 4-pin | socket



AA947

Wireable socket angled M12

Unit price: 6,91 €*



AA939

Wireable socket M12

Unit price: 6,91 €*



AA962

Wireable socket angled M12 IP69k

Unit price: 15,00 €*



AA960

Wireable socket straight M12 IP69k

Unit price: 15,00 €*

Order online at
Order by telephone
Order by fax

www.autosen.com
+49 (0) 201/749 189 21
+49 (0) 201/749 189 22

autosen gmbh • Annastraße 41 • 45130 Essen
www.autosen.com • info@autosen.com
We reserve the right to make technical changes without notice -
4/2/2025

