

AA705 Sensor cable 50 m ring PVC 4x0.34 mm²



Order by 2 pm - Shipping on the same working day

46,82 € offline price
49,54 €

Incl. 5.5% online discount for online orders

Overview

- Cut your sensor cables to the desired length yourself
- Simple wiring possible thanks to wirable M8 or M12 connectors
- Resistant to cleaning agents & disinfectants and thus ideal for use in the food & beverage industry and all hygienic & wet zones
- suitable for ambient temperatures of -25...100°C


www.autosen.com/AA705

Direct link to the article on autosen.com

In daily use - proven millions of times over. Products from autosen are under highest quality requirements regarding robustness, insensitivity and reliability.

We offer 5 years warranty - with money-back guarantee!

Dimensional drawing



Connection & pin assignment

BN	_____
WH	_____
BK	_____
BU	_____



General information

Range of application	Sensor cables for wet areas and the food industry
Cable length	50 m

Electrical data

Operating voltage	max. 300 V AC/DC
Voltage type	Direct voltage (DC) Alternating voltage (AC)

Mechanical data

Colour of cable sheath	Orange
Material of cable sheath	PVC cable

Ambient conditions

Ambient temperature min.	-25°C
Ambient temperature max.	100°C
Note regarding ambient temperature	cRUus: max. 105 °C
Ambient temperature (moving)	5 ... 100 °C
Note regarding ambient temperature (moving)	cRUus: 105 °C

Additional information

Electrical connection	PVC cable silicone-free 4 x 0.34 mm ² (42 x Ø 0.1 mm) Ø 4.9 mm
-----------------------	--



Accessories: M12 connector | 4-pin | socket



AA947
Wireable socket angled M12

Unit price: 6,91 €*



AA939
Wireable socket M12

Unit price: 6,91 €*



AA962
Wireable socket angled M12 IP69k

Unit price: 15,00 €*



AA960
Wireable socket straight M12 IP69k

Unit price: 15,00 €*

Order online at
Order by telephone
Order by fax

www.autosen.com
[+49 \(0\) 201/749 189 21](tel:+4920174918921)
[+49 \(0\) 201/749 189 22](tel:+4920174918922)

autosen gmbh • Annastraße 41 • 45130 Essen
www.autosen.com • info@autosen.com
We reserve the right to make technical changes without notice -
6/5/2025

